

# Package: GSA.UN (via r-universe)

September 4, 2024

**Type** Package

**Title** Global Sensitivity Analysis Tool

**Version** 1.0.0

**Maintainer** Camila Garcia-Echeverri <cagarciae@unal.edu.co>

**Description** A tool to sensitivity analysis using SOBOL (Sobol, 1993) and AMA (Dell'Oca et al. 2017 <[doi:10.5194/hess-21-6219-2017](https://doi.org/10.5194/hess-21-6219-2017)>) indices. It allows to identify the most sensitive parameter or parameters of a model.

**Depends** R (>= 3.4)

**Imports** stats, e1071, utils

**Suggests** knitr, rmarkdown

**License** GPL-2

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

**VignetteBuilder** knitr

**Repository** <https://cagarciae.r-universe.dev>

**RemoteUrl** <https://github.com/cagarciae/gsa.un>

**RemoteRef** HEAD

**RemoteSha** b09778c8cf40ba93fdd552ebfbee2062d0bd1d1

## Contents

AMA . . . . .	2
Bstat . . . . .	3
CM . . . . .	4
Cond_Moments . . . . .	4
data_Bstat . . . . .	5
GSAtool . . . . .	6
out_set . . . . .	7

parameters_set . . . . .	8
pp_names . . . . .	8
save_results . . . . .	9
SOBOL . . . . .	10

<b>Index</b>	<b>11</b>
--------------	-----------

---

AMA	<i>AMA indices</i>
-----	--------------------

---

## Description

This function calculates the AMA indices: AMAE, AMAV, AMAR and AMAK.

## Usage

```
AMA(data_Bstat, CM, pp_names, steps = 100)
```

## Arguments

data_Bstat	a data frame of dimensions $t \times 6$ , here $t$ is the number of temporary steps and each column corresponds to a statistical measure: mean, variance, skewness, kurtosis and excess kurtosis.
CM	A list of arrays, each array corresponds to the conditional moments calculated with the mean, variance, skewness, kurtosis. Each array has dimensions of steps, $t$ , $p$ .
pp_names	vector that contains the names of the parameters ( $pp$ )
steps	number of divisions of the parametric range

## Value

A list of four matrices, which corresponds to AMAE, AMAV, AMAR and AMAK indices. Each matrix has dimensions of  $t \times pp$ .

## Author(s)

Camila Garcia-Echeverri <cagarciae@unal.edu.co>  
 Maria Cristina Areas-Bautista <mcarenasb@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia - Bogota

## References

Dell’Oca, A., Riva, M., & Guadagnini, A. (2017). Moment-based metrics for global sensitivity analysis of hydrological systems. *Hydrology and Earth System Sciences*, 21(12), 6219–6234. <https://doi.org/10.5194/hess-21-6219-2017>

**Examples**

```
data("data_Bstat", "CM", "pp_names")
AMA_indices <- AMA(data_Bstat, CM, pp_names, steps= 15)
```

---

**Bstat***Basic statistical measures of a mathematical model results*

---

**Description**

This function calculates the mean, variance, skewness, kurtosis and excess kurtosis of a model output, this output can be given for different temporal periods (days, months or years).

**Usage**

```
Bstat(out_set)
```

**Arguments**

`out_set` matrix of dimensions  $n \times t$ , where  $n$  equals the number of runs and  $t$  is equal to the number of temporary steps.

**Value**

a data frame of dimensions  $t \times 6$ , here  $t$  is the number of temporary steps and each column corresponds to a statistical measure: mean, variance, skewness, kurtosis and excess kurtosis.

**Author(s)**

Camila Garcia-Echeverri <cagarciae@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia - Bogota

**Examples**

```
data("out_set")
data_Bstat <- Bstat(out_set)
```

---

CM	<i>@title First four conditional moments of example data</i>
----	--------------------------------------------------------------

---

**Description**

@description Data generated by Cond\_Moments example

**Usage**

CM

**Format**

A list

**CM** A list of arrays, each array has dimensions of steps, t, pp

**Author(s)**

Camila Garcia-Echeverri

---

Cond_Moments	<i>Conditional statistical moments of a model output</i>
--------------	----------------------------------------------------------

---

**Description**

This function evaluates the first four statistical moments after grouping the model output by different parametric ranges.

**Usage**

```
Cond_Moments(parameters_set, out_set, pp_names, steps = 100)
```

**Arguments**

parameters_set	matrix of dimensions n x pp, where n is the number of runs and pp is the number of parameters.
out_set	matrix of dimensions n x t, where n is the number of runs and t is the number of temporary steps.
pp_names	vector that contains the names of the parameters.
steps	number of divisions of the parametric range.

**Value**

A list of arrays, each array has dimensions of steps, t, pp.

**Author(s)**

Camila Garcia-Echeverri <cagarciae@unal.edu.co>  
Maria Cristina Areas-Bautista <mcarenasb@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia -  
Bogota

**Examples**

```
data("parameters_set", "out_set", "pp_names")  
  
CM <- Cond_Moments(parameters_set, out_set, pp_names, steps=15)
```

---

data_Bstat	<i>@title First four conditional moments of example data</i>
------------	--------------------------------------------------------------

---

**Description**

@description Data generated with the example of the function Cond\_Moments

**Usage**

```
data_Bstat
```

**Format**

A data.frame

**data\_Bstat** a data frame of dimensions t x 6

**Author(s)**

Camila Garcia-Echeverri

**Source**

Function Bstat

**Description**

This function performs the global sensitivity analysis starting from the gross results of the model.

**Usage**

```
GSAtool(  
  parameters_set,  
  out_set,  
  pp_names,  
  steps = 100,  
  save = FALSE,  
  dir = NULL  
)
```

**Arguments**

<code>parameters_set</code>	matrix of dimensions $n \times pp$ , where $n$ is the number of runs and $pp$ is the number of parameters.
<code>out_set</code>	matrix of dimensions $n \times t$ , where $n$ is the number of runs and $t$ is the number of temporary steps.
<code>pp_names</code>	a strings vector with the names of the parameters of the model
<code>steps</code>	number of divisions of the parametric range.
<code>save</code>	T to save the results in .csv files, by default <code>save=F</code> .
<code>dir</code>	a directory to save the results

**Value**

a list containing two outputs: SOBOL and AMA indices.

**Author(s)**

Camila Garcia-Echeverri <cagarciae@unal.edu.co>  
Maria Cristina Areas-Bautista <mcarenasb@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia - Bogota

## References

Dell’Oca, A., Riva, M., & Guadagnini, A. (2017). Moment-based metrics for global sensitivity analysis of hydrological systems. *Hydrology and Earth System Sciences*, 21(12), 6219–6234. <https://doi.org/10.5194/hess-21-6219-2017>

Sobol, I. M. (2001). Global sensitivity indices for nonlinear mathematical models and their Monte Carlo estimates. *Mathematics and Computers in Simulation*, 55(1–3), 271–280. [https://doi.org/10.1016/S0378-4754\(00\)00270-6](https://doi.org/10.1016/S0378-4754(00)00270-6)

## Examples

```
data("parameters_set", "out_set", "pp_names")
```

```
GSA_results <- GSAtool(parameters_set, out_set, pp_names, steps = 15, save=FALSE)
```

---

out_set	<i>@title Results of a sample model</i>
---------	-----------------------------------------

---

## Description

@description Output generated with an example mathematical model.

## Usage

```
out_set
```

## Format

A matrix

**out\_set** a matrix of dimensions 500 x 365 (pp x t), runs of the model x temporary steps (365 days)

## References

Arenas-Bautista, M. C. (2020). Integration of Hydrological and Economical Aspects for Water Management in Tropical Regions. Case Study: Middle Magdalena Valley, Colombia. National University of Colombia.

---

parameters\_set            *@title Set of parameters randomly generated*

---

### Description

@description It contains 10 parameters

### Usage

parameters\_set

### Format

A matrix

**parameters\_set** a matrix of dimensions 500 x 10 (n x pp), runs of the model x number of parameters

### References

Arenas-Bautista, M. C. (2020). Integration of Hydrological and Economical Aspects for Water Management in Tropical Regions. Case Study: Middle Magdalena Valley, Colombia. National University of Colombia.

---

pp\_names                    *@title Example - parameters names*

---

### Description

@description 10 parameters names.

### Usage

pp\_names

### Format

A value

**pp\_names** a vector of characters

### Author(s)

CGE

### References

Arenas-Bautista, M. C. (2020). Integration of Hydrological and Economical Aspects for Water Management in Tropical Regions. Case Study: Middle Magdalena Valley, Colombia. National University of Colombia.



---

save_results	<i>Save GSA results</i>
--------------	-------------------------

---

**Description**

This function helps to save the results in .csv format

**Usage**

```
save_results(  
  SOBOL = NULL,  
  SOBOL_total = NULL,  
  amae = NULL,  
  amav = NULL,  
  amar = NULL,  
  amak = NULL,  
  dir  
)
```

**Arguments**

SOBOL	SOBOL index
SOBOL_total	SOBOL_total
amae	AMAE index
amav	AMAV index
amar	AMAR index
amak	AMAK index
dir	a directory to save the results

**Author(s)**

Camila Garcia-Echeverri <cagarciae@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia - Bogota

SOBOL

*SOBOL indices***Description**

This function calculates the first order and total SOBOL indices.

**Usage**

```
SOBOL(data_var, CM_mean, CM_var, pp_names)
```

**Arguments**

data_var	a vector containing the variance of the model output for each modelling time step.
CM_mean	An array containing the conditional mean of each parameter of the model. This array has dimensions of steps x t x pp, where steps is the number of divisions of the parametric range, t is the number of temporary steps and pp the number of parameters of the model.
CM_var	An array containing the conditional variance of each parameter of the model. This array has dimensions of steps x t x pp, where steps is the number of divisions of the parametric range, t is the number of temporary steps and pp the number of parameters of the model.
pp_names	a strings vector with the names of the parameters of the model.

**Value**

a list containing two matrices. The first contains the first order sobol, the second sobol\_total.

**Author(s)**

Camila Garcia-Echeverri <cagarciae@unal.edu.co>  
 Maria Cristina Areas-Bautista <mcarenasb@unal.edu.co>

Hydrodynamics of the natural media research group - HYDS National University of Colombia - Bogota

**References**

Sobol, I. M. (2001). Global sensitivity indices for nonlinear mathematical models and their Monte Carlo estimates. *Mathematics and Computers in Simulation*, 55(1–3), 271–280. [https://doi.org/10.1016/S0378-4754\(00\)00270-6](https://doi.org/10.1016/S0378-4754(00)00270-6)

**Examples**

```
data("data_Bstat", "CM", "pp_names")
SOBOL_indices <- SOBOL(data_Bstat[,3], CM$CM_mean, CM$CM_var , pp_names)
```

# Index

## \* datasets

- CM, [4](#)
- data\_Bstat, [5](#)
- out\_set, [7](#)
- parameters\_set, [8](#)
- pp\_names, [8](#)

AMA, [2](#)

Bstat, [3](#)

CM, [4](#)

Cond\_Moments, [4](#)

data\_Bstat, [5](#)

GSAtool, [6](#)

out\_set, [7](#)

parameters\_set, [8](#)

pp\_names, [8](#)

save\_results, [9](#)

SOBOL, [10](#)